

AMENDMENTS

Claims 1, 5, 6, 7, 9, 13, 14, and 15 are amended.

1. (AMENDED) A method of compressing data in a graphics processing system comprising:

defining a plurality of tiles of data;

defining a tile format table containing a status entry for each of said plurality of tiles;

identifying the number of primitives contained in a tile;

A1 compressing said tile by storing said data in a plane equation format when said compressed tile is smaller than said tile;

setting said status entry for said compressed tile in said tile format table; and

storing said compressed tile in a memory.

A 5. (AMENDED) The method of claim 4 wherein pixels in said tiles represent Z data.

A2 6. (AMENDED) The method of claim 5 wherein said step of compressing comprises:

storing a plane equation for each primitive in said tile, wherein each primitive has a fragment ID number; and

storing a fragment ID with each pixel in each said primitive.

7. (AMENDED) The method of claim 6 wherein said plane equation of pixels is computed by:

using the Z value of a first pixel as a first term of said plane equation;

A3 subtracting X values of adjacent pixels in X that have the same fragment ID number to obtain a second term; and

subtracting Y values of adjacent pixels in Y that have the same fragment ID number to obtain a third term.

9. (AMENDED) A graphics processing system comprising:

a first memory for storing a plurality of tiles of data;

a second memory for storing a tile format table containing a status entry for each of said plurality of tiles; and

A4 a compression system coupled to said first and second memories for compressing by storing said data in a plane equation format said tile when said compressed tile is smaller than said tile, for setting said status entry for said compressed tile in said tile format table, and for storing said compressed tile in a memory.

13. (AMENDED) The graphics processing system of claim 12 wherein said pixels in said tiles represent Z data.

A5 14. (AMENDED) The graphics processing system of claim 13 wherein said compression system compresses by storing a plane equation for each primitive in said tile,

wherein each primitive has a fragment ID number, and storing a fragment ID for each pixel in each said primitive.

A6  
Cont

15. (AMENDED) The graphics processing system of claim 14 wherein said plane equation of pixels is computed by:

using the Z value of a first pixel as a first term of said plane equation;  
subtracting X values of adjacent pixels in X that have the same fragment ID number to obtain a second term; and  
subtracting Y values of adjacent pixels in Y that have the same fragment ID number to obtain a third term.

---

[Please add the following claims:]

---

A6 cache  
Cont

17. (NEW) A method of caching pixel data comprising:  
storing pixel data in a plurality of tiles in a cache;  
storing pixel data in a plurality of compressed tiles in a memory; and  
decompressing a compressed tile of pixel data from said memory into said cache on a miss, wherein a fragment count number indicating the number of fragments in said compressed tile is recorded and a fragment ID number of each pixel in said tile is set to the fragment count number of the fragment which created said pixel.

18. (NEW) The method of claim 17 further comprises the step of:

writing Z data for a new primitive in a tile in said cache, wherein said fragment count number is incremented and pixels of said new Z data receive said incremented fragment count number as their fragment ID number.

19. (NEW) The method of claim 18 further comprises the step of:

evicting a tile by compressing said tile, said step of evicting further comprises:

~~determining if said tile is a good candidate for compression into a plane equation format;~~

using the Z value of a first pixel as a first term of said plane equation;

extracting values of pixels in X that have the same fragment ID number to obtain a second term; and

extracting values of pixels in Y that have the same fragment ID number to obtain a third term.

20. (NEW) The method of claim 18 wherein said step of decompressing further comprises:

optionally decoding fragment ID mask that accompanies said compressed tile;

picking a first pixel of a first fragment ID and saving said coordinate of said first pixel as a base tile coordinate;

using a plane equation to determine the Z values for all pixels with said first fragment ID; and

repeating steps of picking and using for all fragments in said compressed tile.

21. (NEW) A pixel data cache comprising:  
a cache storing pixel data in a plurality of tiles;  
a memory component storing a plurality of compressed tiles whereby a compressed tile  
of pixel data from said memory component is decompressed into said cache on a miss, wherein a  
fragment count number indicating the number of fragments in said compressed tile is recorded  
and a fragment ID number of each pixel in said tile is set to the fragment count number of the  
fragment which created said pixel.

*Ab Cm*  
22. (NEW) The cache of claim 21 wherein said cache is configured to write Z data for  
a new primitive in a tile in said cache, wherein said fragment count number is incremented and  
said pixels of said new Z data receives said incremented fragment count number as their  
fragment ID number.

23. (NEW) The cache of claim 22 wherein said cache is configured to evict a tile by  
compressing said tile, wherein said tile is checked to determine if said tile is a good candidate for  
compression into a plane equation format and said cache is configured to use the Z value of a  
first pixel as a first term of said plane equation, extract values of pixels in X that have the same  
fragment ID number to obtain a second term; and extract values of pixels in Y that have the same  
fragment ID number to obtain a third term.

24. (NEW) The cache of claim 22 wherein said cache is configured to decompress by  
optionally decoding fragment ID mask that accompanies said compressed tile, picking a first  
pixel of a first fragment ID and saving said coordinate of said first pixel as a base tile coordinate,

using a plane equation to determine the Z values for all pixels with said first fragment ID, and  
repeating steps of picking and using for all fragments in said compressed tile.

*AP  
Cnd*

[ ] Applicant hereby submits a marked-up copy of the amended claims separate from the amendment as required under 37 CFR 1.121(c)(1)(ii). Applicant further supplies a clean copy of the entire claim set.

